

**LOADALL** | CONSTRUCTION RANGE

**JCB**



**STAGE V**

GROSS POWER  
**55kW - 81kW**

LIFT CAPACITY  
**3100kg - 4100kg**

LIFT HEIGHT  
**7m - 20m**



# UNRIVALLED PRODUCTIVITY.

JCB Loadalls are designed to make the most efficient use of your time and money. That's why you get unrivalled performance, versatility and visibility.



## OPTIMUM PERFORMANCE

Class-leading JCB hydraulics ensure the most efficient lifting and loading for faster cycle times.





# UNRIVALLED STRENGTH.

Our machines are built to be tough, using top quality components and innovative manufacturing processes. This ensures maximum service life.



## OPTIMUM DURABILITY

Through rigorous testing and validation programs JCB construction Loadalls offer unrivalled strength for every job.



## **UNRIVALLED SAFETY & SECURITY.**

JCB Loadalls have a comprehensive security package and a wealth of features designed to protect themselves, their operators and bystanders alike.



### **OPTIMUM VISIBILITY**

A low boom profile and pivot point, plus side and rear-view mirrors provide all-round visibility.





# UNRIVALLED COST OF OWNERSHIP.

We've designed these machines to give you maximum return on investment; with superb fuel efficiency, unrivalled resale value and low running costs.



## OPTIMUM EFFICIENCY

Our latest 55kW (74hp) engine achieves Stage V emissions levels without the need for DEF injection.



# UNRIVALLED MACHINE UPTIME.

JCB construction Loadalls have long service intervals with quick and easy maintenance when required, to keep you working.



## OPTIMUM ACCESS

All daily checks, greasing and serviceable components can be easily accessed at ground level.





# LOADALL | CONSTRUCTION RANGE



## SPECIFICATION.

<b>MODEL RANGE</b>	<b>531-70/541-70/535-95/533-105/535-125 HIVIZ/ 540-140 HIVIZ/540-170/540-180 HIVIZ/540-200</b>
<b>Lift height</b>	<b>7m - 20m</b>
<b>Lift capacity</b>	<b>3100kg - 4100kg</b>
<b>Engine power</b>	<b>55kW (74hp) - 81kW (109hp)</b>
<b>Speed</b>	<b>29kph - 33kph</b>
<b>Hydraulics</b>	<b>Gear pump</b>
<b>Fuel tank capacity</b>	<b>146L</b>



## STANDARD FEATURES.

- Patented Load Moment Indicator
- LiveLink with immobiliser control
- 3 Steer Modes
- New JCB DieselMAX Stage V compliant engine
- 4-speed powershift transmission
- Man platform option, EN280 compliant (540VI40, 540VI80)
- Full camera packages available
- Single lever joystick control option





**UNRIVALLED PERFORMANCE**

**REQUEST A QUOTE**

 **JCB**

[www.jcb.com](http://www.jcb.com)

